

AIR CURTAINS

Silver | Gold | Platinum



air curtains **Silver**

The SILVER air curtain is a reliable appliance marked by a compact construction and silent operation. Easy to assemble and operate, the curtain is in three sizes with or without an electric heater.



remote controller thermostat (option)

curtains with heater **AG 100 H6 | AG 150 H10 | AG 200 H14**

MODEL			SILVER AG-100H6	SILVER AG-150H10	SILVER AG-200H14
Voltage/frequency		V~/Hz	400/50		
Motor power output		W	180	230	350
Heater capacity		kW	6	10	14
Temperature increase		°C	35-45		
Air speed	min	m/s	6,5		
	max		7,5		
Air flow	min	m³/h	1100	1400	2100
	max		1300	1900	2600
Noise level	min	dB	56	57	59
	max		58	59	61
Net weight		kg	15,5	21	25
Dimensions		mm	1000×180×215	1500×180×215	2000×180×215

curtains without heater **AG 100 | 150 | 200 CX**

MODEL			SILVER AG-100CX	SILVER AG-150CX	SILVER AG-200CX
Voltage/frequency		V~/Hz	230/50		
Motor power output		W	180	230	350
Air speed	min	m/s	9		
	max		11		
Air flow	min	m³/h	1100	2000	2900
	max		1400	2500	3600
Noise level	min	dB	56	57	59
	max		58	59	61
Net weight		kg	12	15	22
Dimensions		mm	1000×180×215	1500×180×215	2000×180×215

air curtains **Gold**

The GOLD air curtain is a reliable appliance marked by a strong air stream and available at an affordable price. Easy to both assemble and operate, the curtain is in three sizes with or without an electric heater.



curtains with heater **AU 100 H3,5 | AU 100 H6 | AU 120 H8**
AU 150 H10 | AU 200 H14



remote controller thermostat (option)

MODEL			GOLD AU-100H3,5	GOLD AU-100H6	GOLD AU-120H8	GOLD AU-150H10	GOLD AU-200H14
Voltage/frequency		V~/Hz	230/50	400/50			
Motor power output		W	180	180	200	230	350
Heater capacity	I	kW	1,75	2	2,7	3,3	4,6
	II		3,5	4	5,3	6,7	9,4
	III		-	6	8	10	14
Temperature increase		°C	35-45				
Air speed	min	m/s	8,5				
	max		9,5				
Air flow	min	m³/h	1100	1100	1500	1900	2800
	max		1330	1330	1700	2200	3100
Air speed	min	dB	56	56	56	57	59
	max		57	57	58	59	61
Net weight		kg	14,5	14,5	16,0	18,5	26,5
Dimensions		mm	1000x190x260	1000x190x260	1200x190x260	1500x190x260	2000x190x260

curtains without heater **AU 100 | 150 | 200 CX**

MODEL			GOLD AU-100CX	GOLD AU-150CX	GOLD AU-200CX
Voltage/frequency		V~/Hz	230/50		
Motor power output		W	180	230	350
Air speed	min	m/s	9		
	max		11		
Air flow	min	m³/h	1300	2000	2900
	max		1600	2500	3600
Noise level	min	dB	55	57	59
	max		57	59	61
Net weight		kg	10	15	20
Dimensions		mm	1000x190x225	1500x190x225	2000x190x225

air curtains **Platinum**

The PLATINUM air curtain is a reliable appliance with a smart appearance and available at an affordable price. Easy to both assemble and operate, the curtain is in three sizes with or without an electric heater.



remote thermostat controller (option)

curtains with heater **PT 100 H6 | PT 150 H10 | PT 200 H12**

MODEL			PLATINUM PT-100H6	PLATINUM PT-150H10	PLATINUM PT-200H12
Voltage/frequency		V~/Hz	400/50		
Motor power output		W	180	230	350
Heater capacity	I	kW	2	3	4
	II		4	7	8
	III		6	10	12
Temperature increase		°C	35-45		
Air speed	min	m/s	6,5		6
	max		7,5		7
Air flow	min	m³/h	1150	1800	2300
	max		1300	2150	2600
Air speed	min	dB	51	54	56
	max		53	56	59
Net weight		kg	14,5	19,5	24,5
Dimensions		mm	1000×215×280	1500×215×280	2000×215×280

curtains without heater **PT 100 | 150 | 200 CX**

MODEL			PLATINUM PT-100CX	PLATINUM PT-150CX	PLATINUM PT-200CX
Voltage/frequency		V~/Hz	230/50		
Motor power output		W	180	230	350
Air speed	min	m/s	8		7,5
	max		10		9
Air flow	min	m³/h	1400	2200	2800
	max		1700	2700	3350
Noise level	min	dB	55	57	58
	max		57	59	60
Net weight		kg	13	17	21,5
Dimensions		mm	1000×215×280	1500×215×280	2000×215×280