



**KX 2**  
**Portable electric fan heater**

# KX2

## Electric fan heater for temporary heating

The KX2 is a compact and convenient fan heater capable of quickly warming up fairly small areas such as caravans, summer cottages and garages.

- Powerful: 2000 W
- Thermostat and 0-1-2 kW output selector
- Self-limiting ceramic PTC element
- Carrier handle - easy to move
- 2-metre power supply cable

### Control

The KX2 is equipped with a self-limiting ceramic PTC element and operates at low air flow. This provides a very intensive warm air flow (the air is heated to about 65°C as it flows through the KX2).

The fan heater is equipped with a +5 - 35°C thermostat and a 0-1-2 kW selector switch.

### Connections

The KX2 is equipped with a 2-metre long power supply cable with earthed plug.



### Design

The casing is made of galvanized sheet steel and is painted.

Degree of protection IP 21 (drip-proof) - the fan heater may be used in dry and humid areas.

If used outdoors, the KX2 must be installed under cover.

### Approvals

The fan heaters have been tested and approved by SEMKO in accordance with:

LVD Directive: EN 60355-1, EN 60335-2-30 and EN 50366

EMC Directive: EN 61000-3-2, EN 61000-3-3, EN 55014-1 and EN 55014-2

EMF Directive: EN 50366



# Product range

## Technical data

KX 2		
Power supply	V	230 V AC
Output	kW	2
Output steps	kW	0-1-2
Current	A	8,9
Sound level <sup>1)</sup>	dBA	43
Air flow rate	m <sup>3</sup> /h	approx. 90
Temperature rise	°C	approx. 65
Degree of protection		IP 21
Weight	kg	2,4
Width	mm	155
Height	mm	215
Depth	mm	190

*1) Measured at a distance of 5 metres in front of the unit.*





VEAB Heat Tech AB • Phone: + 46 451 485 00 • Fax: + 46 451 410 80  
[www.veab.com](http://www.veab.com) • [veab@veab.com](mailto:veab@veab.com)